


RFID 125khz/13.56Mhz 1000



Single door access control keypad

1000 user capacity / 125KHz&13.56MHz optional

MQ-106

RFID 125khz/13.56Mhz 1000	RFID 125khz/13.56Mhz 1000	
RFID 125khz/13.56Mhz 1000	106-106	106-106
RFID 125khz/13.56Mhz 1000	13.56	125
RFID 125khz/13.56Mhz 1000	2 ~ 5	
RFID 125khz/13.56Mhz 1000	1000	
RFID 125khz/13.56Mhz 1000	%10±12	
RFID 125khz/13.56Mhz 1000	≥100	
RFID 125khz/13.56Mhz 1000	5s	
RFID 125khz/13.56Mhz 1000	0 ~ 60 ~	
RFID 125khz/13.56Mhz 1000	0%~95%	
RFID 125khz/13.56Mhz 1000	0 ~ 60 ~	
RFID 125khz/13.56Mhz 1000	130*58*24 3 ±	
RFID 125khz/13.56Mhz 1000		
RFID 125khz/13.56Mhz 1000		

□□□:

0.5 □□□

□□□□□□ □□□□ □□□□□□ □□ □□ MQ-106□

Size



:mm

Appearance





Indicator light

Input keyboard

Door bell button

Buzzer

Wire port

Relay



220
10V
VT

47
25V
VT

红(Red):12V 灰(Grey):BELL
黑(Black):GND 白(White):BELL
蓝(Blue):PUSH 橙(Orange):NC
棕(Brown):OPEN 紫(Purple):COM
黄(Yellow):NO

D3C001900

SIEMENS
12V
1A 24VDC

13.56MHz/125Hz optional




MQ-106C:13.56MHz




MQ-106D:125KHz


Wire diagram



Packing list



□□□□□□ □□□□□□□□ □□ □□□□



SMQT show




Team



Factory



Certificate



2011 Brazil Fair



2012 shen yang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2017 Shenzhen Fair



2012 shen yang Fair



2013 shen yang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair