

# Plastic door release button

- Fireproof ABS panel
- 100000 times mechanical test
- Suitable access control system
- Bottom case is optional
- 3 appearance model optional



## • Parameter



Specification	
Model	EA-26A / B / C
Dimensions (mm)	86 * 86 * 20 (mm)
Dimensions B (mm)	86 * 86 * 20 (mm)
Dimensions C (mm)	86 * 86 * 30 (mm)
Material	Fireproof ABS panel
Operating Voltage	3 VDC (A36VDC)
Operating Temperature	-20°C to 70°C
Life Cycle	100,000 times
Installation	Standard door frame

## • Introduction



The plastic door release button is a key component of the ABS system, designed for easy installation and reliable operation. It is suitable for various door types and provides a secure and convenient way to open doors.





**EA-26A**



**EA-26B**



**EA-26C**

*Plastic Door release button*


*Fireproof ABS plastic panel*

*Passed 100000 times mechanical test*

*Suitable for access control system*

*Embedded bottom box is optional*

*2 years warranty, welcome OEM*



Switch power supply



Converter  
(RS232 to RS485)



Door release  
button EA-26



• *Packaging & shipping*

SMQT®



● *Office show*

SMQT®



● *Exhibition*

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair



.....