

PRODUCT THE ARRIVAL OF THE GOODS



search

THE INTERNATIONAL WEBSITE:

[illegible]



1. Emergency break glass call point button

2. Max Voltage DC30V, Max Current 3A


3. Output Contact NC/NO/COM

4. Red, Green, White, Yellow, Blue color optional


5. Suitable for Exit Door, Emergency Door etc

6. 2 years warranty, welcome OEM


☐116-☐☐ ☐☐☐☐☐ ☐☐ ☐☐



1.Normal Open Circuit



2.Normal Close Circuit



This model break glass button is widely use in fire alarm system and access control system for emergency case.

SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



□□□□□□□□ □□□ □□□



CUSTOMER



□□□□

2011 Brazil Fair



2012 shen yang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 shen yang Fair



2013 shen yang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair



□□□□□



PACKAGING & SHIPPING

Detection+Packing+Sealing+Finishing+International Express



□□□□□□□□

□□□□□□ □□□□ □□ □□□□□□ □□□□□□ :□

□□□□□□ .□□□□□□ □□□□□□ □□ □□□□ □□□□□□ □□□□□□ □□□□□□ □□ □□□□ :□

. □□□□□□□□ □□□□□

□□□□□□ □□ □□ : □

a: .000 0000 15-10 00000 00000 0000000 000 0000 0000 3-1 00000 0000

□□□ □□□□□ □□□ □□ □□ :□

a: .00000000 0000 0000 0000 00000 000 00

□□□□ □□□□□□ □□□□□□ □□□ □□□□□□□ □□□□ □□□□ □□□ :□

a: 00 00 (00000000 00000000 00000000) 000000 00000 00000000 00000 00 00 00000 0000 00000000

.0000 15-7 000000000 0000

[illegible][illegible]

□□□□ □□□□ □□□□□ □□□ □□□□□ □□□□□ □□□ □□□□□ □ □□□ □□□□□ □□

□□□□ □□□□□□ □□□.