





8. 2019 年 12 月 31 日，某公司“应付账款”科目贷方余额为 120 万元，其中 100 万元为 3 个月以内到期的应付款；“预付账款”科目为借方余额 20 万元，其中 10 万元为 3 个月以内到期的预付款。

Waterproof



4 wires 8 tones



Code setting	Operating Voltage DC12V, switch “NO” to “0”		
Switch 123	Sound species	Pulse description	DB level
LLL/000	119	High level 180uS,low level max:1800uS,min:880us	116+/- 2db
HHL/110	Last"di" 0.7hz	High level 85uS,low level 890us	110+/- 2db
LHL/010	Sounding"du"	High level 115uS,low level1400us	114+/- 2db
HLL/100	High sound 119	High level 105uS,low level max:1150uS,min:960us	115+/- 2db
LHH/011	Nomal 120	High level 180uS,low level max:2090uS,min:1620us	116+/- 2db
HLH/101	High sounding "di"	High level 95uS,low level 930us	111+/- 2db
LLH/001	120 with fast	High level 180uS,low level max:2090uS,min:1620us	114+/- 2db
HHH/111	High sound 120 with fast	High level 140uS,low level max:1100uS,min:950us	116+/- 2db

8 Types
Voice& light combination
freely adjustable

EB-162




□□□□□□ □□□□□□ EB-162



Where to use ?



Suitable for all kinds of emergency situation!



□□□□□ □□□□□□□□ □□ □□□□



SMQT show



Team



Factory



Certificate



