





New

Access control & Alarm product supplier



SMQT[®]




2 Color optional




Size



NC mode working principle



Installation



Packaging



EB-132'S MAIN PARAMETER

□□□□□□ □□□:	□□□□□□□□□□ □□□□□□ □□□□□□
□□□□□□ □□□:	EB-132
□□□□□ □□□□□□□□ □□□□:	Max DC 100
□□□□□□ □□□□□:	0.5 □□□□A
□□□□□□ □□□□□□□:	10W
□□□□□□□ □□□□:	NC / COM
□□□□□□ □□□□□□:	20 ~ 30mm □
□□□□:	(□□) 7.5 * 14 * 34 :□□□□□□ (□□) 7.5 * 14 * 34 :□□□□□□□□□□ □□□□
□ □□□□□:	□□□□□□ □□ □□□□□ □□□□□ □□□□□ □□□□□ □□□□□ □□□□ □□□□ □□□□
□□□□:	ABS □□□□□□□ + PCB □□□□□□□ □□□ + □□□□□
□□□□□ □□□:	□□□□□□□□) □□□□□□ / □□□□□□
□□□□:	12 :□□□□□□□G 20 □□□□□ 250 □□□□ □□□ □□□ □ □□□□□□ □□□□ □□□□
□□□□:	2 □□□□□□□ □□□□
OEM:	□□□□□□□□ □□□□□□□□ □□□□□ □□□□□

□□□□ □□□□ □□□□ □□□□

SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技

