

جديد أزياء الصمام الخفيفة عرض بلوتوث الذكية الوصول قارئ بطاقة التحكم

SMQT 深圳市铭汗科技有限公司
SHENZHEN MINGQIAN TECHNOLOGY CO.,LTD

NEW

PRODUCT THE ARRIVAL OF THE GOODS


Appearance of the patent , Has the opposite of current protection, Import PC material, heat resistance, corrosion resistance is strong, free manage software, 2 years quality warranty welcome OEM



The image shows two smart cards, one blue and one white, with 'CARD HERE' and Bluetooth symbols. They are set against a background of a green field and a blue sky with clouds and butterflies.

تخصيص	
حجم المنتج:	117mm * 75MM * 20MM
لوحة المواد:	زجاج صلب
نوع البطاقة:	(بطاقة إيك (13.56 ميغا هرتز)
جهد التشغيل:	12VDC
وقت الاستجابة:	0.1 بطاقة، 0.5 التطبيق s
لوحة العرض:	الصمام ضوء العرض
الصمام ضوء اللون:	الأبيض والأزرق
تذكير:	تذكير الضوء، تذكير الجرس
تردد القراءة:	13.56 MHz بطاقة، 2.4 GHz ل بلوتوث
مسافة القراءة:	Card ≤ 7cm، 0.5 m-10m بلوتوث
درجة حرارة العمل:	-10 °C ~ 55 °C
رطوبة العمل:	30% ~ 85%

ما هي ميزات لدينا بلوتوث الذكية الوصول قارئ بطاقة التحكم؟



IC Card 13.56MHz and Bluetooth 2.4GHz

Tempered glass panel with LED display

Andriod&IOS version Free Apps control



2 years quality warranty,welcome OEM

Read distance:Card \leq 7cm;Bluetooth 0.5-10m

إن-کیند شوتینگ




الوضعية



عرض الحالات

SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



عرض المكتب



العملاء



معرض

2011 Brazil Fair



2012 shen yang Fair




2013 Jinan Fair



2013 Shenzhen Fair



2017 Shenzhen Fair



2012 shen yang Fair



2013 shen yang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair



شهادة



كيفية التعاون

a: 00000000 0000 0000 0000 .0000 000 00.

0000 000000 000000 000 0000000 0000 0000 000 :0

a: 0(000000 0000000 0000000) 00000 0000 00000000 0000 00 00 0000 000 0000000
0000 **15-7** 000000000 0000 00.

00000000 0000 000 000 000 0000000 0000 000000 0000000 000 :0

a: 000000 000 000 00000000 000000 000 000 .0000000 00000000 000000 000000 000 000000
000000 0000000 0000000 0000 00000000 000000000 00000000 0000 00 0000 00000000 000
000000 000000000 000 00.

000000 00000000 0000 00000000 0000
000000 000000000 0000 000000000 00000000 0000 000000.