



اسم المنتج:	تصميم جديد لوحة المفاتيح المستقلة، نظام البطاقة، لوحة المفاتيح رفيد		
نموذج:	EA-84	طاقة كهربائية شعاله:	± 12VDC 10%
العمل الحالي:	mA من 100 و العلامة	سعة المستخدم:	1000
نوع البطاقة:	إيك 13.56 ميغا هرتز أو إم 125 كيلو هرتز	الوضع المفتوح:	بطاقة، كلمة السر
ليد الخلفية:	تلفائي	تتابع الإخراج الإخراج:	5 ثوان
العبث / وظيفة الإنذار:	مغلق	كلمات المرور العامة:	لا
ويجاند 26 الميناء:	إدخال	مسافة القراءة:	1CM، 15cm و
اللون:	أسود	درجة حرارة العمل:	0 °C -60 °C
الرطوبة النسبية:	20% ~ 90%		

□□□□□ □□□□ □□□□□ □□ □□□□□ □□□□ □□



User Capacity: 1000

Background LED: automatic

Card Type: Mifare 1 13.56MHz or EM 125kHz


Reading Distance: 1cm-15cm

Open Mode: card, password

Relay Unlock Output: 5 seconds

□□□□□□ □□□□-□□







HOME



OFFICE



FACTORY



Department



HOTEL



SCHOOL

□□□□□□ □□□□□□

SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技




SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



□□□□□□ □□□



CUSTOMER



□□□□





Trade terms:	EXW
Payment terms:	T/T, Western union, Paypal etc
Delivery time:	Normal order within 7 days, bulk order 10-15days
Packing:	Neutral paper box and paper carton
Shipping:	Express company or by sea, by air or appointed by buyer