

SMQT OLED Screen Access Control Card Reader EA-93DK

- Unique appearance design.
- OLED screen.
- IC (13.56Mhz) card type
- WG26/34 communication(optional)
- Short-circuit protection lightning protection
- Plug type connection easy to intallation



● Parameter

SMQT®

	□□□□□
□□□	□□□□ OLED IC (13.56MHZ) □□□□□□ □□ □□□□□□ □□□□ □□□□
□□□□□	EA-93DK
□□□	96 × 96 × 22 (□□□)
□□□□□□ □□□□□□□□ □□□□	12V ± 3VDC
□□□□□□ □□□□□□	□□□□□□□ & It1 □W
□□□□□□□ □□□	13.56MHZ IC
□□□□□□□□ □□□	60MM
□□□□ □□□□□□	150M
□□□□□□□□ □□□□□	WG26 / WG34
□□□ □□□□	1bit / □□□□
□□□□□□□□ □□□□ □□□□□	4 □□□bit / 8 □□□bit
□□□□□	□□□□□□□□ □□□□ / □□□□□
□□□□□□ □□	□□□□□□□□□□
□ □□□□	□□□□□□□□ □□□□ □□□□□□ □□□□□ □□□□
□□□□□□ □□□□□ □□□□	-30 °C ~ 65 °C
□□□□□□ □□□□□	0.2KG

● Introduction

SMQT®



EA-93DK

OLED screen IC(13.56Mhz) Wiegand card reader

IC(13.56Mz,h)Card type

Wiegand 26/34communication(optioanl)

OLED Dispaly Screen

Laser carving and wer-resisting keyboard

High safety,short-circuit and lightning protection,tamper device

Plug type connection, easy to install

2 years warranty, Welcome OEM

• *In-kind shooting*

SMQT



• Installation

SMQT®



• Packaging & shipping

SMQT®

1. 产品规格表 2. 产品规格表 3. 产品规格表 4. 产品规格表 5. 产品规格表	
产品规格	36 产品规格 产品规格 产品规格 EA-93DK
产品规格	45 * 32 * 32 (mm)
重量	9KG



• Office show

SMQT®



• Exhibition

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



.....



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair