

## wireless Solar Siren

Fireproof ABS housing, 105 sound pressure,  
AC 110V-240V,USB 5V ,solar Power supply,  
color(red/blue optional).



**SMQT**

### • Parameter



**SMQT**

Working Voltage	3.7V 1800 mAh 18650 6 AAAA AAAA AAAA AAAA F22 9V 1
Working Current	2000 LUX $4 \leq$ Working Current mA
Sound Pressure	110DB
Working Current	Working Current & $t \leq 500$ mA
Working Current	Working Current & $t \leq 1$ MA
Working Current	Working Current & $t \leq$ (Working Current) (Working Current 45 )
Working Current	315MHZ
Working Current	Working Current $\geq 80$ Working Current Working Current $^{\circ}\text{C} 55 + \sim ^{\circ}\text{C} 10-$ Working Current Working Current)
Working Current	PC + ABS + Working Current Working Current Working Current
Working Current	309 * 230 * 80 (Working Current)

### • Introduction

**SMQT**

# PRODUCT PICTURE



□□□□□□ □□□ □□□□□□□□ □□□□ □□□□□□□□□□□□ □□□□□□□□□□□□

□□□□□□ □□□□ □□ □□□□□□ □□□□□□ □□□□□□□□□□□□ □□□□□□□ □□□□□□□□.

• *Dimension*

SMQT



• *Feature*

SMQT

# PRODUCT FEATURE



**EB-168W**

*1. Waterproof Shell*

*2. Intelligent Control*

*3. Lithium batteries,  
solar charger*

*4. Tamper alarm*

*Your hearing, you kown, no worry!*



**Solar power**



**Wireless outdoor solar strobe light siren**

**Wireless connection**



*Apply for Wireless home alarm system*

## • Packaging & shipping

SMQT®



## • Office show

SMQT®



## • Exhibition

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair



.....