

NEW

PRODUCT THE ARRIVAL OF THE GOODS



<https://eis.en.alibaba.com/>

THE INTERNATIONAL WEBSITE

□□□□□		
□□□□□ □□□	4 □□□□□□□□ □□□□□□ □□□□□ □□□ □□ □□ □□□□ □□□□	
□□□□□	EA-11-4-12	EA-11-4-24
□□□□	(□□□) 27 * 53 * 74 :□□□□□□□□ □□□) 10 * 23 * 53 :□□□□□□□□)	(□□□) 27 * 53 * 74 :□□□□□□□□ □□□) 10 * 23 * 53 :□□□□□□□□)
□□□□□□□□ □□□□ □□□□□□	12V □□	24V □□
□□□□□□ □□□□□	□□□□□□□□ & It6 □MA	□□□□□□□□ & It6 □MA
□□□□□□ □□□□□□□	10MW	10MW
□□□□ □□□□□□□ □□□□ □□□ □□	1 □□□ 30 □□□□□□□□□ □□□□ □□□□□□□□ □□□□□□□□	1 □□□□□□□ □□□ 30 □□□□□□□□□ □□□□ □□□□□□□□
□□□□□□ □□□□	315MHZ / 433MHZ (□□□□□□□□)	315MHZ / 433MHZ (□□□□□□□□)
□□□□□□□□□ □□□□□□□□	100m □□□□□ □□□□□□ □□	100m □□□□□ □□□□□□ □□
□□□□□ □□□□□ □□□□	-20 °C ~ 50 °C	-20 °C ~ 50 °C
□□□□□ □□□□ □□□□□□□□	-25 °C ~ 65 °C	-25 °C ~ 65 °C
□□□□□□□ □□□□□	95□	95□
□□□□□□	□□□□□	□□□□□
□□□□	98G	98G

□□□□□□ □□□□ □□□□ □□□□□ □□□□ □□□□ 4 □□□□□ □□□□□□□□ □□□ □□ □□□□□□ □□□□□ □□
□4-11-□□ □□□□□□□□□ □□□□□□□□



1.Four channel access control system remote controller




2.Power supply DC 12V/24V(optional)


3.315Mhz/433Mhz Wireless frequency optional

4.Suitable all kinds of access control system


5.2 years warranty , welcome OEM

☐4-11-☐☐ ☐☐☐☐ ☐☐ ☐☐





Wiring diagram



These ports is use for other doors

This model 4 channel remote controller is widely use in Access control system, to remote open the door, suitble for Home, Apartment,Office etc.

□□□□ □□□□□□ □□ □□□

SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



□□□□□□ □□ □□□



CUSTOMER



□□□□

2011 Brazil Fair



2012 shen yang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 shen yang Fair



2013 shen yang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair

□□□□



