

| | |
|--------------------|------------------------------------|
| Power Supply: | AC220V / 5V DC |
| Power Consumption: | Power Consumption & It300 mA |
| Power Consumption: | Power Consumption & It40 mA |
| Frequency | 433MHz |
| Protocol | EV1527 |
| Wireless Standard | IEEE802.11b / g / n |
| Wireless Frequency | 3.7 GHz Wireless Frequency 300 / m |
| Wireless Power | Power Consumption & It80 mA RH |
| Wireless Range | 0 m Wireless Range 50 m |

1. TUYA APP
2. TUYA APP
- 3.
- 4.
- 5.
- 6.
- 7.
- 8.

EB-822

Standard kit



How does it working?



Tuya Smart



iOS

Android

Siren host



Size:65(diameter)×35mm

Wireless frequency:433Mhz

Built-in backup battery:3.7V/300mAh

Power supply:DC5V 2A

PIR detector



Size:110×52×35mm

Wireless frequency:433Mhz

Wireless transmission distance:100~150m

Battery :6F 22 Battery

Battery life time:1~2 years

Door sensor



Size:

Reed part:65×25×13mm

Magnet part:52×11×13mm

Wireless frequency:433Mhz

Wireless transmission distance:100~150m

Battery : Battery

Battery life time:1~2 years

Remote controller



Size:56×32×12mm

Wireless frequency:433Mhz

Wireless transmission distance:100~150m

Battery : Battery

Battery life time:1~2 years

Door bell trigger button



Size:50(diameter)×15mm

Wireless frequency:433Mhz

Wireless transmission distance:100~150m

Battery : Battery

Battery life time:1~2 years

Power supply adapeter



Input:AC110~220V

Ouput:DC 12V 2A

Plug stanard:EU/US/GB etc(optional)

□□□□ □□□□ □□ □□□□

SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技

