

• Parameter

SMQT®

الأبعاد	224L * 224W * 83H (مم)
إنتاج التيار الكهربائي	DC12V
الإنتاج الحالي	5A
إنتاج الطاقة	60W
وضع تأخير	0 ~ 10S
مصمم خصيصا	انقر نقرا مزدوجا جزء من الزجاج والنحاس والمحولات، وفذيفة الصلب
وظيفة الأمن	وحماية ماس كهربائى، وحماية المسؤول عن تصريف
نطاق	التحكم في الوصول، وبناء نظام الاتصال الداخلي
ويمكن الوصول إليها عن طريق بطارية احتياطية	12V 7AH

• Introduction

SMQT®



12 00 (00 00 00) 00000000 000 000000 00000000 000V 00000000 000000 00000000 000 00 00000000 00000 00 000000000000 00000000 000000 00000000 000000 000000 00000000.

• Dimension

SMQT



• Feature

SMQT



Access control switch power supply

AC 220V input, DC 12V 5A output

0~10s time relay (adjustable)

Short circuit protection, charge protection

Double face PC board, pure copper

transformer, steel shell


Suitable for access control and

doorphone system

12v 7Ah backup battery optional

Welcome OEM and order sample test

2 years quality warranty



• *Packaging & shipping*



● *Office show*

SMQT®



● *Exhibition*

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair

.....

How to cooperation

SMQT



Trade terms:	EXW
Payment terms:	T/T, Western union, Paypal etc
Delivery time:	Normal order within 7 days, bulk order 10-15days
Packing:	Neutral paper box and paper carton
Shipping:	Express company or by sea, by air or appointed by buyer