

Wired magnetic contact sensor

Fireproof ABS material shell

NO/NC model optional

Brown/white color optional

20±5(mm) gap distance

Suitable wooden door or window

14g weight

SMQT



المغناطيسي باب الاتصال الاستشعار عن نافذة / باب NO / NC السلكية خشبي	□□□□□□ □□□
EB-132	□□□□□
34 * 41 * 6.5MM	□□□□□
NO / NC (□□□□□□□)	□□□□□□ □□□
20 ± 5 (□□)	□□□□□□
≤100V DC	□□□□□ □□□□
≤500mA	□□□□□□ □□□□□□ □□□□
≤10W	□□□□□□□ □□□□
□□□□□□□ □□□□ / □□□□□□)	□□□□□□
□□□□□□ □□ □□□□ □□□	□ □□□□
□□□□□□ ABS □□□□□□□	□□□□□
-10 °C ~ 50 °C	□□□□□□ □□□□□□ □□□□□
14G	□□□□□□□ □□□□□□

□□□□□□□ □□□□□□ □□□□□□□□ □□□□ □□□□□□ □□

PRODUCT FEATURE



EB-132

Dimension:34×41×6.5(mm)

NO/NC mode optional

20±5(mm) distance gap

MAX voltage≤100VDC,MAX current≤500mA

Fireproof ABS material shell

White/Brown color optional

Suitable for wooden door or window

14g weight

2 years quality warranty,welcoem OEM

□□□□ □□ □□□□ □□□□

PRODUCT PICTURE



□□□□□□ □□□□



□□□□□□ □□□□



CUSTOMER



□□□□

2011 Brazil Fair



2012 shen yang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 shen yang Fair



2013 shen yang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair





Trade terms:	EXW
Payment terms:	T/T, Western union, Paypal etc
Delivery time:	Normal order within 7 days, bulk order 10-15days
Packing:	Neutral paper box and paper carton
Shipping:	Express company or by sea, by air or appointed by buyer