



1. Wireless passive anti-pet infrared detector

2. Operation voltage DC 3V(2 AA battery)

3. Wireless frequency (1527 code chip)433Mhz/868Mhz optional


4. 12m detecting distance

5. Wireless transmission distance 100m(in open air)


6. Pet immunity < 20kg

7. 2 years warranty , welcome OEM


☎192-☐☐ ☐☐☐☐ ☐☐ ☐☐








Detecting area:




Installation:

1. About pet immune:



The top part of detection area is non-pet-immunity area



Never face the detector to the place that pets can climb up directly



Pet immunity: $\leq 20\text{Kg}$ pets



Pet immunity installation height: 2.2-2.4M

2. Don't do:



Don't close to high-tension cable



Don't install at any no fixed places



Don't install toward metal stuff



Don't install toward the sunshine



□□□□ □□□□□□ □□ □□□

SMQT[®]
铭汗科技



SMQT[®]
铭汗科技



SMQT[®]
铭汗科技



SMQT[®]
铭汗科技



SMQT[®]
铭汗科技



SMQT[®]
铭汗科技



SMQT[®]
铭汗科技



SMQT[®]
铭汗科技



SMQT[®]
铭汗科技



□□□□□□ □□ □□□



CUSTOMER



□□□□

2011 Brazil Fair



2012 shen yang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 shen yang Fair



2013 shen yang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair

□□□□



