

Wireless door sensor

- Fireproof ABS shell
- DC 12V power supply
- Wireless frequency 315Mhz/433Mhz optional
- Wireless signal transmission distance max 100m



Parameter





品名	无线门磁探测器
型号	EB-130
尺寸	71 × 36 × 15 (mm) 14 × 14 × 63
厚度	40 ± 5MM
供电电压	12V 直流
使用寿命	≤1years
无线频率	315MHZ / 433MHZ (可选)
报警灵敏度	可调 & lt100 = 1M (可调)
重量	0.035KG

In-kind shooting







Function:To detect the door, window, drawer, ambry is illegally open or move.

Features:Triggered under the armed state, there will be alarm signal to send to alarm host.

Installation: installed at the closed door and drawer.(PS:Detectors and magnetic stripe is opposite, the spacing of less than 1 cm)



Installation Instruction

1. Emitter and magnetic stripe with two-side glue stick on the door and door frame, as far as possible between closed without gap
2. Suitable for wood door/window or glass door/window.

• Packaging & shipping

SMQT®

产品包装 运输重量 运输方式	
产品包装	EB-130 产品包装 运输重量 运输方式
运输重量	200 产品包装 运输重量 运输方式
产品包装 运输重量 运输方式	47 * 37 * 29 (mm)
重量	10KG



• Office show

SMQT®



2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair



.....