

□□□□□□ □□□

□□□□□□□□□□ □□□□□□ □□ □□□ □□□□□□□□ □□□□

□□□□□ □□□□□

□□□□□ □□ □□□□□ □□□□□□□□□□□□

□□□□□

3A 36VDC □□□□□

□□□□□□□□ □□□□□□□□

NO \ NC \ COM

□□□□□□□□□□□□ □□□□□□□□

500000 □□□□□□□□

□□□□□□□□

86L * 50W * 20Hmm

□□□□□□□□ □□□□□□□□ □□□□□ 10-55 (14-131F)

□□□□□□□□ □□□□□□

0-95□

□□□□

160G

22- ما ملامح لدينا إي-22 A / B؟



EA-22A



EA-22B



EA-22A



EA-22B

Advantages

Aluminum panel with the sand blast treatment

Pure copper plating nickel button


500,000 times mechanical test



الوضعية



Switch power supply



منتجات مماثلة



عرض المكتب



CUSTOMER



معرض

2011 Brazil Fair



2012 shen yang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 shen yang Fair



2013 shen yang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair

شهادة




كيفية التعاون



PACKAGING & SHIPPING

Detection+Packing+Sealing+Finishing+International Express



التعليمات

□□□□□□ □□□□ □□ □□□□□□ □□□□□□ :□

