• Parameter

SMQT

□□□□□□		
□□□□□□ □□□	EA-23A	EA-23B
□□□□□□ □□□□□	□□□□□□ □□□□□□□ □□□□□□□ □□□□□ □□□□□□ □□□□□□	□□□□□□ □□□□□□ □□□□□□ □□□□□□□ □□□□□□□ □□□□□
□□□□□□□□□ □□□□□□	3 □□□□ □□□□A36VDC □□□□□□□	3 □□□□ □□□□A36VDC □□□□□□□
□□□□□□□ □□□□□□	□□□□□□□ NC / COM	NO / NC / □□□□□□□ COM
□□□□□□ □□□ □□□□□□	500□000 □□□□□□ □□□□□□□□ □□□□	500□000 □□□□□□ □□□□□□□□ □□□□
□□□□□	□□□□□□□ □□□□□ □□□□□ □□□□□□	□□□□□□□ □□□□□ □□□□□ □□□□□□
□□□□ □□□□□	□□□□□ □□□□□□□ □□□□□□□ □□□□ □□□	□□□□□ □□□□□□□ □□□□□□□ □□□□ □□□

• Introduction

SMQT

□□ □□□□□ □□□□□□□ □□□ □□□ □□ □□□□□□ □□ □□□□□□ □□□□□□ □□□ □□ □□□□□□ □□□□□□ □□□□ □□ □□□□□□□□□ □□□□□ □□□□□□□.

•*Feature*

SMQT

EA-20A

EA-20B

Superior Design NO.1

Stainless steel wire drawing panel, high temperature resistant shock, do not fade.

Components NO.2

PC rubber seal production, full seal lock core.

EA-23A

EA-23B



•*Packaging & shipping*

SMQT

• *Office show*

SMQT

• *Exhibition*

SMQT

2011 Brazil Fair
2012 Shenyang Fair
2013 Jinan Fair
2013 Shenzhen Fair
共赢
.....
2012 Shenyang Fair
2013 Shenyang Fair
2013 Shenzhen Fair
2015 Shenzhen Fair