

NEW

PRODUCT THE ARRIVAL OF THE GOODS

Appearance of the piece, has the opposite of current protection, Support PC network, heat resistance, corrosion resistance is strong, free management software, 3 years quality warranty, welcome OEM



SMQT®

<https://eis.en.alibaba.com/>

search

THE INTERNATIONAL WEBSITE | ▲

PIR	
Power supply	12v PIR + PIR sensor
Model	EB-172
Size	128 * 65 * 41mm
Power supply	9 * 13.5V DC
Power supply	25uA 12V PIR sensor
Power supply	15mA 12V PIR sensor
MW	12 * 12m PIR sensor 30 * 100mm
Power supply	12 * 12V
Power supply	110°C
Power supply	-10°C ~ 50°C
Power supply	-25°C ~ 65°C
EMI	> 300V / M
Power supply	> 6500LUX
Power supply	PIR
Power supply	0.1mm



1.Wired MW+PIR intelligent motion detector

2.9~13V DC power supply

3.3 LED indicator light

4.Compatible all kinds of alarm system's wired zones

5.2 years warranty , welcome OEM



3.5. Working status Setup



LED Jumper : LED is on when it's connected and off when it's disconnected

PIR optional Jumper : PIR is available when connected (normal on) and unavailable when disconnected with only single iron Transducer is available


M_EN Microwave choose jumper : Microwave function effectively when connected, disconnected become single infrared microwave function is cancelled


PIR distance jump line : When connected 4 to 8 meters, detection range of 4 to 8 meters. When connected 6 to 12 meters, detection range of 6 to 12 meters. When connected 9 to 18 meters, detection range of 9 to 18 meters.

MPULSE counting jump line : The factory set up to 20. When the pulse number is 30 alarm response is slow, and detection range, strong anti-jamming capability, when the pulse number is 10 alarm response speed, anti-interference to weak, choosing to 30, should disconnect the LED jump line

MADI sensitivity adjustable : When the yellow light is on for 30s or microwave detector hypertermism MIN direction adjustment. When microwave detector adjusted distance is too close to the MAX

PIR PULSE JUMPER LINE : Connected position pulse counting 1 to 1, connected pulse counting at position 2 to 2 (factory Settings pulse counting to 2)







Apperance

Detecting distance

MW+PIR+Intelligent Motion Detector EB-172



PCB board



Wiring way



This model wired motion detector product is widely use in all kinds of burglar alarm system, Such as Villa ,Home ,Factory, Warehouse, Office, Bank etc.





□□□□



□□



2011 Brazil Fair



2012 shen yang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 shen yang Fair



2013 shen yang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair



