

NEW

PRODUCT THE ARRIVAL OF THE GOODS

Appearance of the patent , Has the opposite of current protection, Import PC material,heat resistance, corrosion resistance is strong, free manage software, 2 years quality warranty welcome OEM



□□□□	□□□□12v□□□□□□□□
□□	EA-33
□□□	140x100x40□□□□
□□□□	AC 100v-260v
□□□□	50□□
□□□□	12□□□
□□□□	5A
□□□□	60W
□□	□□□□□□□□
□□□□	0~15s
□□	□□□□□□□□
□□	□□




DC 12V 5A switching power supply

AC 100v-260v input voltage, 50Hz-60Hz input frequency

Built-in short circuit protection and overload protection

Application for door access control system and intercom

Steel case material and remote control optional






INFRONT: power supply control
input AC100V-260V
output DC12V 5A



SIDE:



INSIDE:



SHOW CASE

SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



□□□□□



□□

2011 Brazil Fair



2012 shen yang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2017 Shenzhen Fair



2012 shen yang Fair



2013 shen yang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair



□□□□

□□□□□□□□

□□□□□1-3□□□□□□□□□□10-15□□□□□

□□□□□□□□□□

□□□□□□□□□□

□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□7-15□□□□□

□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□