





□□□ GSM & PSTN 16□□ & 29□□□□□□□□□□





规格	
接口	支持GSM& PSTN 16位数字信号
型号	EB-869
尺寸	255 * 255 * 80mm
重量	150 * 108 * 19mm
电压	220V AC / 110V AC
功耗	≤70mA
待机	≤120mA
充电	12V/15VDC / ≤1.5A
充电	12v≤400mA
频率	1600MHz & 2900MHz
GSM	2G / 4G
温度	-10℃ ~ + 70℃
湿度	< 97%
频率	868MHz / 433MHz
频率	8
频率	4.2



- 1.GSM+PSTN dual network alarm panel
- 2.16 wired zones & 29 wireless zones.
- 3.868Mhz/433Mhz wireless frequency optional.
- 4.Power supply 110V AC/220V AC optional.
- 5.Compatible with all kinds of alarming accessories.
- 6.2 years warranty , welcome OEM.










How to connect wired sensor?

Host power supply wired sensor



No need power supply wired sensor





OFFICE



STORE



BANK



HOME



VILLA





SMQT® 深圳市铭汗科技有限公司
SHENZHEN MINGQIAN TECHNOLOGY CO.,LTD




FC CE <https://eis.en.alibaba.com>

SMQT® 深圳市铭汗科技有限公司
SHENZHEN MINGQIAN TECHNOLOGY CO.,LTD



FC CE <https://eis.en.alibaba.com>

SMQT® 深圳市铭汗科技有限公司
SHENZHEN MINGQIAN TECHNOLOGY CO.,LTD



FC CE <https://eis.en.alibaba.com>

SMQT® 深圳市铭汗科技有限公司
SHENZHEN MINGQIAN TECHNOLOGY CO.,LTD



FC CE <https://eis.en.alibaba.com>

SMQT® 深圳市铭汗科技有限公司
SHENZHEN MINGQIAN TECHNOLOGY CO.,LTD



FC CE <https://eis.en.alibaba.com>

SMQT® 深圳市铭汗科技有限公司
SHENZHEN MINGQIAN TECHNOLOGY CO.,LTD



FC CE <https://eis.en.alibaba.com>

SMQT® 深圳市铭汗科技有限公司
SHENZHEN MINGQIAN TECHNOLOGY CO.,LTD



FC CE <https://eis.en.alibaba.com>

SMQT® 深圳市铭汗科技有限公司
SHENZHEN MINGQIAN TECHNOLOGY CO.,LTD



FC CE <https://eis.en.alibaba.com>

SMQT® 深圳市铭汗科技有限公司
SHENZHEN MINGQIAN TECHNOLOGY CO.,LTD



FC CE <https://eis.en.alibaba.com>





2011 Brazil Fair



2012 shen yang Fair




2013 Jinan Fair



2013 Shenzhen Fair



2017 Shenzhen Fair



2012 shen yang Fair



2013 shen yang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair





100

[illegible]

11111111111111111111

1500000

19□□□□□

