

Converter USB to RS485

Compatible with EIA/TIA RS-232,RS-485 standard
Interface:USB interface
RS-485 interface
Transmission medium:normal cables,twisted-pair cables or shielded cables
57.6kbps in 1200m transmission speed(short distance can reach 230kbps)
Transmission distance:5m(USB port)
1200m(RS485 port)
7-12V input voltage



Parameter

SMQT

Model	USB RS485
Model	EA-02
Size	94×35×18mm
Interface	EIA / TIA RS-232C RS-485
Interface	USB DB9 RS-485 DB9
Interface	
Interface	
Interface	1200 baud rate 57.6kbps 230kbps
Interface	5 m USB 1200 m RS-485
Interface	
Interface	
Interface	5 95
Interface	-10°C 85°C
Interface	
Weight	0.116kg

Introduction

SMQT

USB RS485



• *Feature*

SMQT



Converter USB to RS485
Interface compatible with EIA
/ TIA RS-232C, RS-485 standard

Electrical Interface:

USB port, DB9 female connector
RS-485 side, DB9 male connector

Transmission rate:

Up to 57.6kbps (close up to 230kbps
rate) in the 1200m distance

Transmission distance:

5 m (USB end) 1200 m (RS-485 terminal)

Suitable for data transmission system

0.116kg weight

Welcome OEM and 2 years quality warranty

switch power supply



Door release button



Access control keypad

Converter USB to RS485 EA-02



PC

• Office show

SMQT®



• Exhibition

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



.....

2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair

