• Parameter

SMQT

□□	
□□□□	□□□□□□□
□□	EA-26A / B / C
□□A	86 * 86 * 20□mm□
□□B	86 * 86 * 20□mm□
□□C	86 * 86 * 30□mm□
□□□□	□□□□□□□□
□□□□	□□□□□□□3A36VDC
□□□□□	□□□□□□□
□□	□□□□□□□□□□□□
□□□□	□□□□□□□□□□

• Introduction

SMQT

□□□□□□□□□□□□□ABS□□□□□□□□□□□□□□□□□□□

DOOR
EXIT
DOOR
EXIT
DOOR
EXIT
DOOR
EXIT
DOOR
EXIT
DOOR
EXIT
DOOR
EXIT
DOOR
EXIT
DOOR
EXIT

•*Feature*

SMQT

EA-26A

EA-26B

EA-26C

Plastic Door release button
Fireproof ABS plastic panel
Passed 100000 times mechanical test
Suitable for access control system
Embedded bottom box is optional
2 years warranty,welcoem OEM

•*Installation*

SMQT



•*Packaging & shipping*

SMQT

• *Office show*

SMQT

• *Exhibition*

SMQT

2011 Brazil Fair
2012 Shenyang Fair
2013 Jinan Fair
2013 Shenzhen Fair
共赢
.....
2012 Shenyang Fair
2013 Shenyang Fair
2013 Shenzhen Fair
2015 Shenzhen Fair