

# Plastic door release button

- Fireproof ABS panel
- 100000 times mechanical test
- Suitable access control system
- Bottom case is optional
- 3 appearance model optional



## Parameter



型号	EA-26
尺寸	A 86×86×20mm B 86×86×20mm C 86×86×30mm
面板材料	ABS
额定电流	3A 36V DC
触点配置	A NC / COM B NC / NO / COM C NC / NO / COM
使用寿命	100,000次
额定电压	
重量	
安装孔距	0~95mm
工作温度	-20°C~55°C
认证	
重量	A 0.064kg B 0.07kg C 0.052kg

## In-kind shooting







**EA-26A**



**EA-26B**



**EA-26C**

*Plastic Door release button*

*Fireproof ABS plastic panel*

*Passed 100000 times mechanical test*

*Suitable for access control system*

*Embedded bottom box is optional*

*2 years warranty, welcome OEM*

# Application

SMQT



Switch power supply



Converter (RS232 to RS485)



Door release button EA-26



Standalone controller



PC

# Packaging & shipping

SMQT

	□□□□
□□□□	EA-26□□□□□□/□□□□
□□	□□100□
□□□□	47 * 37 * 29□cm□
□□	8kg



WE LOGISTICS



## • Office show

SMQT



## • Exhibition

SMQT

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



.....



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair