

● Parameter

SMQT

参数	
型号	EB-130
电压	12V
功率	40±5W
频率	315MHZ / 433MHZ
距离	≤100m

● Introduction

SMQT

本产品是一款用于工业现场的无线报警装置，具有体积小、功耗低、安装方便等特点。主要用于检测门磁、红外探测等，当检测到异常时，会通过无线信号发出报警。产品广泛应用于仓库、工厂、实验室等场所。




● Dimesion Picture

SMQT



● Installations

SMOT





Function:To detect the door, window, drawer, ambry is illegally open or move.

Features:Triggered under the armed state, there will be alarm signal to send to alarm host.

Installation: installed at the closed door and drawer.(PS:Detectors and magnetic stripe is opposite, the spacing of less than 1 cm)



Installation Instruction

- 1、Emitter and magnetic stripe with two-side glue stick on the door and door frame, as far as possible between closed without gap
- 2、Suitable for wood door/window or glass door/window.

● Packing list

SMOT



□□□□	
□□	200 /□
□□□□	40L * 30W * 20H□□□□
□□	10□□



● In the Office

SMQT®



● Exhibitions

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair