



□□□□	□□□□□□□□□□
□□	EA-21B
□□	EA-21B □86×86×39□□□□
□□□□	DC 12V
□□□□	< 115°
□□□□	< 4W
□□□□	10□□
□□□□	NO / NC / COM
□□□□	500.000□□□
□□□□	□□□□
□□	□□□□□□□□□□
□□□□	0□95□
□□□□	-20°C-50°C
□□	EA-21B □0.106□□

□□□□ **EA-21B** □□□□□□□□□□□□

1 *Durable and
Reliable*
more than 5 years life time

2 *Well-made
drawing panel, touch
feeling is good*

5 *Installation
easy to install*

3 *Welcome
OEM
print logo*



4 *Technology-
leading*
*anti-interference, induction
dustance is adjustable*

IN-KIND □ □





SMOT



CE  FC

SMOT



CE  FC

SMOT



CE  FC

SMOT



CE  FC

SMOT



CE  FC

SMOT



CE  FC

SMOT



CE  FC

SMOT



CE  FC

SMOT



CE  FC

□□□□



2011 Brazil Fair



2012 shen yang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 shen yang Fair



2013 shen yang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair





PACKAGING & SHIPPING

Detection+Packing+Sealing+Fnishing+Interna-
tional Express



