

Wired magnetic contact sensor

NC/NO code mode optional
20±5(mm) gap distance
MAX voltage≤100V DC,MAX current≤500mA
Suitable for wooden door or window
Fireproof ABS material shell
White/Brown color optional
8g weight



品名	磁控开关
型号	EB-135
规格	24×41×6mm
触点	NO / NC
间隙	20±5mm
电压	≤100VDC
电流	≤500mA
功率	≤10W
材质	ABS
颜色	白/棕
温度	-10℃~50℃
重量	8g




Door Magnetic Contact safe door happy life

(Notice: need match the home alarm system to)



Sash window

In window close status, door magnetic host and magnetic stripe respectively embedded in the two Windows, do not to leave a gap between, open the window after the success of alarming, Then to fixed.



Notice:
Gap < 2cm



Sliding window

In window close status, door magnetic host and magnetic stripe respectively embedded in the two Windows, do not to leave a gap between, open the window after the success of alarming, Then to fixed.

2 Color optional



White



Brown

□□□□



□□□□

SIMILAR PRODUCT





□□



□□

2011 Brazil Fair



2012 shen yang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 shen yang Fair



2013 shen yang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair



