

□□□□□□□□□□□□□□□□




EB-137A□□□□□

|       |                                                 |
|-------|-------------------------------------------------|
| □□□□□ | □□□□□□□□□□□□□□□□                                |
| □□□   | EB-137A                                         |
| □□□□□ | □□DC 100                                        |
| □□□□□ | □□0.5A                                          |
| □□□□□ | 10W                                             |
| □□□□□ | NC / COM                                        |
| □□□□□ | □20□30mm                                        |
| □□□   | □□□□□106 * 38 * 10□mm□<br>□□□□□106* 16 * 16□□□□ |
| □□□   | □□□□□□□□□□                                      |
| □□□   | □□□□□□□□□□□□□□                                  |
| □□□   | ABS□□+ PCB□+□□□□                                |
| □□□□□ | □□                                              |
| □□□   | □□1□□□□□220□                                    |



|      |       |
|------|-------|
| □□□  | 2□□□  |
| OEM□ | □□OEM |

EB-137A□□□□□

Waterproof



Size




mm








## NC mode working principle



## Installation



## Packaging



1pairs per bag

**SMQT**  
铭汗科技



**SMQT**  
铭汗科技



**SMQT**  
铭汗科技



**SMQT**  
铭汗科技



**SMQT**  
铭汗科技



**SMQT**  
铭汗科技



**SMQT**  
铭汗科技



**SMQT**  
铭汗科技



**SMQT**  
铭汗科技

