

Door release button

Stainless steel panel ,steel button durable

Wrie drawing finished

500000 times mechanicak test

Suitable access control sytem

2 models optional



• Parameter



□□	
□□□□	□□□□□□□□
□□	EA-23
□□	EA-23A□91×28×20□mm□ EA-23B□88×88×20□mm□
□□ □□□	□□□□□ □□□
□□□□	3A 36V DC□□
□□□□	EA-23A□NC / COM EA-23B□NO / NC / COM
□□□□	500.000□□□
□□□□	□□□□
□□	□□
□□	□□□
□□□□	0□95□
□□ □□	-20°C-55°C□14-131F□
□□□□	□□□□□□ □□□□
□□	EA-23A□0.065KG EA-23B□0.1kg

• In-kind shooting







EA-20A



EA-20B



Superior Design NO.1

Stainless steel wire drawing panel, high temperature resistant shock, do not fade.



Components NO.2

PC rubber seal production, full seal lock core.



□□□□	
□□□□	EA-23 □□□□□□□□
□□	□□100□
□□□□	47 * 37 * 29□cm□
□□	7□12kg



● Office show

SMQT®



● Exhibition

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



.....



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair