

TCP / IP IC 13.56MHz



TCP / IP IC 13.56MHz	
尺寸	115*80*19.5
电压	9VDC-16VDC
电流	≤120mA
寿命	15000
容量	38000
精度	1000
接口	TCP / IP
功耗	<1W
温度	4-6
响应时间	< 0.1S
频率	13.56MHz IC
封装	EA-85K /

TCP / IP IC 13.56MHz



ARM® Cortex™-M0 32-bit processor

Unique PC material shell,waterproof rating IP65


15000 Cards,38000 Records,1000 Alarm Records

High-speed flash memory design,data never lost

Software use B/S mode,based on TCP/IP protocol

□□□□□










□□



□□

2011 Brazil Fair



2012 shen yang Fair




2013 Jinan Fair



2013 Shenzhen Fair



2017 Shenzhen Fair



2012 shen yang Fair



2013 shen yang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair





1111


<https://creativecommons.org/licenses/by-nc-sa/4.0/>

[illegible]


 Türkiye Cumhuriyeti Millî Eğitim Bakanlığı
 Ministry of National Education of the Republic of Turkey

□□□□**1-3**□□□□□□□□□□**10-15**□□□□

[illegible][illegible]

