

CH 12V / 24V 433Mhz / 315Mhz



|  | 2               |                 |
|--|-----------------|-----------------|
|  | EA-12112        | EA-24112        |
|  | 68 * 48 * 20    | 68 * 48 * 20    |
|  | 53 * 23 * 10    | 53 * 23 * 10    |
|  | 12V DC          | 24V DC          |
|  | < 6MA           | < 6MA           |
|  | 10              | 10              |
|  | 130             | 130             |
|  | 315MHZ / 433MHZ | 315MHZ / 433MHZ |
|  | 100m            | 100m            |
|  | -20°C50°C       | -20°C50°C       |
|  | -25°C65°C       | -25°C65°C       |
|  | 95              | 95              |
|  |                 |                 |
|  | 85              | 85              |

CH 12V / 24V 433Mhz / 315Mhz



1.Two channel remote controller


2.Power supply DC 12V/24V optional

3.Wireless frequency 315Mhz/433Mhz optional


4.Suitable for all kinds of Access control system

5.2 years warranty , welcome OEM


IN-KIND







## Wiring diagram



*This port is use for another door*

**This model 2 channel remote controller is widely use in Access control system, to remote open the door, suitble for Home, Apartment,Office etc.**

0000



00000



00



2011 Brazil Fair



2012 shen yang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 shen yang Fair



2013 shen yang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair





□□□□



444

□ □ □ □ □ □ □ □ □ □ □ □

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

□ □ □ □ □ □ □

1-3 10-15

A□□□□□□□□□□□□□□□□

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

**A**7-15

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

[illegible]