

● *Parameter*

SMQT®

尺寸	224L * 224W * 83Hmm
输入电压	DC12V
输入电流	5A
输出功率	60W
启动时间	0~10s
工作电压	12V~14V
工作电流	5A~6A
待机功耗	0.5W
待机电流	0.1A
待机电压	12V 7AH

● *Introduction*

SMQT®



SMQT Uninterrupted Power Supply (UPS) 12V

• Dimension

SMQT



• Feature

SMQT



Access control switch power supply

AC 220V input, DC 12V 5A output

0~10s time relay (adjustable)

Short circuit protection, charge protection


*Double face PC board, pure copper
transformer, steel shell*

*Suitable for access control and
doorphone system*

12v 7Ah backup battery optional

Welcome OEM and order sample test

2 years quality warranty



• Packaging & shipping

SMQT



• Office show

SMQT®



• Exhibition

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



.....

2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair



How to cooperation

SMQT



Trade terms:	EXW
Payment terms:	T/T, Western union, Paypal etc
Delivery time:	Normal order within 7 days, bulk order 10-15days
Packing:	Neutral paper box and paper carton
Shipping:	Express company or by sea, by air or appointed by buyer