




PIR	
Model	PIR110PIRLED
Part	EB-194
Size	109 * 60 * 42mm
Power	9V 6F22
Current	≤20uA
Current	≤30mA
Angle	110°curtain15°
Temp	-20°C~50°C
Range	12m8m
Output	NO
Response	2.2s
Frequency	433MHZ / 315MHZ1527
Range	100m
Light	LED
Angle	95°
Temp	-10°C~60°C
Size	mm
Weight	0.15g

EB-194PIRLED

PIR110PIRLED EB-194



1. Wireless PIR motion detector


2. Wireless frequency 433Mhz/315Mhz(optional)

3. 12m detecting distance

4. 9V 6F22 battery power supply


5. 2 years warranty , welcome OEM

EB-194□□□□□□



EB-194









- | | |
|---------------------------------|-----------------------------------|
| ① coding skipping | ⑦ LED indicator light(J1) |
| ② oscillation resistance adjust | ⑧ working modes choice(MODE) |
| ③ anti-dismantle switch | ⑨ delayed adjustment(T) |
| ④ power switch | ⑩ sensitivity adjustment(P) |
| ⑤ battery | ⑪ pyroelectricity infrared sensor |
| ⑥ indicator light switch | ⑫ antenna |

Detecting area diagram:

Top view




Side view



(Normal use)

(Curtain use)



□□□□□□

SMQT[®]
铭汗科技



SMQT[®]
铭汗科技



SMQT[®]
铭汗科技



SMQT[®]
铭汗科技



SMQT[®]
铭汗科技



SMQT[®]
铭汗科技



SMQT[®]
铭汗科技



SMQT[®]
铭汗科技



SMQT[®]
铭汗科技



□□□□□□



□□



□□

2011 Brazil Fair



2012 shen yang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 shen yang Fair



2013 shen yang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair







PACKAGING & SHIPPING

Detection+Packing+Sealing+Finishing+International Express



Inquiry



Contract



Testing and packing



Receiving



Reply

Receive payment&Product

Delivery



□□□□

□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

