



□□□□

□□	
□□	EA-02
□□	94×35×18□□□□
□□□□	□□□□EIA / TIA RS-232□RS-485□
□□□	USB□□□DB9□□□□□□RS-485□□□□□□DB9□□□□□□□□□□
□□□□	□□□□□
□□□□	□□□□□□□□□□□□
□□□□	□1200□□□□□□□57.6kbps□□□230kbps□□□□
□□□□	5□□USB□□1200□□RS-485□□□□
□□	□□
□□	□□□□□□
□□□□	5□□95□
□□□□	-10°C□85°C
□□□	□□
□□	0.116□□

EA-02



1. Converter USB to RS485 interface compatible with EIA/TIA RS-232, RS-485 standard

2. Support windows98/ME and windows2000/XP and MAC Apple and Linuxv5.0

3. Suitable for data transmission system 0.116kg weight

4. Electrical interface: USB interface, DB(holes); RS-485 interface, DB9(pin) with 5 terminals

5. Welcome OEM and 2 years quality warranty

IN-KIND





switch power supply



Door release button



Access control keypad

Converter USB to RS485 EA-02



PC



 <p>SMQT</p> <p>CONVERTER</p> <p>CE RoHS FC</p>	 <p>SMQT</p> <p>CE RoHS FC</p>	 <p>SMQT</p> <p>CE RoHS FC</p>
--	---	---



□□□□



□□



□□



