## Parameter

SMQT

| | |
|---|---|
| El número de rayos | 2/4/6/8/10 |
| Distancia (interior) | 5m / 10m / 20m / 30m / 40m / 60m |
| detector de altura | 37/72/125/167 / 209 cm |
| corriente de funcionamiento | 30mA ~ 80mA |
| Tensión de funcionamiento | DC12V ~ DC18V |
| retroalimentación en tiempo | & Amp; lt; 1.5ass |
| contacto del relé | 3A, AC120V / DC24V |
| Ajustar el ángulo | 180º ± 90º |
| temperatura ambiente | -35 ℃ ~ 55 ℃ |

## Introduction

SMQT

SMQT PRODUCT PICTURE

El haz de infrarrojos doble movimiento detector cortina se utiliza con ventana, puerta con el sistema de alarma.
El sensor de haz como la valla sensor láser de trabajo.

# PRODUCT DISPLAY

**With tamper resistant, anti interference, high reliability**

With anti demolition, anti interference function, when there is an intruder to remove or damage, the immediate alarm model, the

Tamper switch, when the invaders destroyed or disassembled, tamper switch will trigger the alarm immediately bounce.

**Waterproof moisture-proof function, can adapt to bad weather**

**Because this product is used in indoor and outdoor, the use of universal is relatively strong. The products according to the scientific design, with rain proof structure for installation of indoor and outdoor machine of supermarket zone, waterproof, dust-proof, wind and rain, wind and rain does not matter, can adapt to all kinds of bad environment and weather.**

**Aluminum alloy material design: beautiful and reliable structure**

**Main body outer shell is made of high quality aluminum alloy material, and the surface of the polishing treatment, bones and durable; the import filter to visible light good filtering function.**

**Installation and debugging is convenient, 3 when the warning distance can be adjusted**

After the installation of the fixed infrared beam of the launch and reception of vision can be achieved 360 degrees of rotation, three block adjustable warning distance, convenient and sensitive.

The bracket adopts the latest sliding cover to be designed, and the installation is more convenient. Disassembly more secure.




3 warning distance adjustable map

## •Dimension


Two Beams
Four Beams
Six Beams
Eight Beams
Ten Beams
Infrared Barrier



## •Feature

SMQT

vallas infrarrojos (también llamados barandillas "infrarrojos") es una especie de tiro de infrarrojos activos, utilizando multi-haz
La luz infrarroja del transmisor de radio al receptor a "transmisor de baja frecuencia, tiempo de detección de la División"
Modo emite luz infrarroja, una vez que la persona o el objeto que bloquea cualquier haces de luz adyacentes en dos o más emitida por el transmisor es superior a 30 ms, la señal de alarma de salida del receptor inmediatamente cuando hay animales pequeños o pequeños
objetos de distancia de donde un rayo de sol, la alarma no será señal de alarma de salida.

1. Protective cover
2. Mounts
3. Lead Block
4. Tamper proof switch
5. Infrared light transmitting sheet
6. Aluminum alloy rod models
7. Lead

Tamper switch

Projector details

Warning distance regulation

Connecting power cable terminal

Light receiving device details

buzzer,Alarm drops ring

Translucent instrument

Optical receiver

71cm(4 beams) The speed of light is different in different lengths

## •*Packaging & shipping*

SMQT

Wireless infrared beam sensor

Mounting screw

User manual

Packaged box

TNT

DHL

UPS FedEx Express

EMS

## • *Office show*

SMQT

## •Exhibition

SMQT