

El número de vigas	2/4/6/8/10
Distancia (interior)	5m / 10m / 20m / 30m / 40m / 60m
Detector de altura	37/72/125/167 / 209cm
Corriente de trabajo	30mA ~ 80mA
Tensión de funcionamiento	DC12V ~ DC18V
Tiempo de retroalimentación	<1.5ass
Contacto de relé	3A, AC120V / DC24V
Ajustar el ángulo	180° ± 90°
Temperatura ambiente	-35 °C ~ 55 °C

Emisión de infrarrojos de baja frecuencia: electrodomésticos (sistema de control remoto) sin interferencias;

Detección inteligente de intensidad de luz: menor consumo de energía, reducción de falsos positivos;

Una variedad de instalaciones: montaje en superficie y empotrado, sin alineación precisa;

Disparo de infrarrojos cruzados: evite por completo la interferencia de la luz solar (tecnología única);

aspecto elegante: la búsqueda de la combinación perfecta de decoración moderna para el hogar.


Traje de sensor de barrera fotoeléctrica de rayos infrarrojos para usar con la alarma de ventana y cerca.

Las cercas infrarrojas (también llamadas "barandas infrarrojas") son una especie de disparos infrarrojos activos, que utilizan luz infrarroja multihaz en el transmisor de radio al receptor para que el modo "transmisor de baja frecuencia, detección por división de tiempo" emita luz infrarroja, una vez que la persona u objeto que bloquee dos o más haces de luz adyacentes emitidos por el transmisor excede los 30 ms, la señal de alarma de salida del receptor se produce inmediatamente cuando hay animales pequeños u objetos pequeños lejos de donde sale un rayo de sol, la alarma no emitirá señal de alarma.



● Dimesion Picture

SMOT



● Installations

SMOT



Using CPU micro processing intelligent control, intelligent distinction through the size of the object, there is an illegal intruder when the fence to trigger an alarm. When the smaller cats, dogs, birds and other small animals through the fence , the detector will not trigger the alarm, does not affect people's trouble to switch windows.





● Features

SMOT

With tamper resistant, anti interference, high reliability

With anti demolition, anti interference function, when there is an intruder to remove or damage, the immediate alarm model, the



Tamper switch, when the invaders destroyed or disassembled, tamper switch will trigger the alarm immediately bounce.



Waterproof moisture-proof function, can adapt to bad weather

Because this product is used in indoor and outdoor, the use of universal is relatively strong. The products according to the scientific design, with rain proof structure for installation of indoor and outdoor machine of supermarket zone, waterproof, dust-proof, wind and rain, wind and rain does not matter, can adapt to all kinds of bad environment and weather.




Aluminum alloy material design: beautiful and reliable structure

Main body outer shell is made of high quality aluminum alloy material, and the surface of the polishing treatment, bones and durable; the import filter to visible light good filtering function.



Installation and debugging is convenient, 3 when the warning distance can be adjusted

After the installation of the fixed infrared beam of the launch and reception of vision can be achieved 360 degrees of rotation, three block adjustable warning distance, convenient and sensitive.



far (15-30m)
in (5-15m)
near(0-5m)

3 warning distance adjustable map

The bracket adopts the latest sliding cover to be designed, and the installation is more convenient. Disassembly more secure.

● Packing list



Wireless infrared beam sensor

Mounting screw

User manual

Packaged box

● Office

SMQT



● Exhibitions

SMQT

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair

.....