

Plastic door release button

Fireproof ABS panel

100000 times mechanical test

Suitable access control system

Bottom case is optional

3 apperance model optional

SMQT®



• Parameter

SMQT®

Spcification	
Nombre del producto	Botón de liberación de la puerta de plástico
Modelo	EA-26A / B / C
Dimensiones A	86 * 86 * 20 (mm)
Dimensiones B	86 * 86 * 20 (mm)
Dimensiones C	86 * 86 * 30 (mm)
Estructura Estándar	Materiales ignífugos mezcla de resina
Rendimiento eléctrico	Durabilidad máxima actual 3A36VDC
Test de durabilidad	Cien mil veces envejecido envejecido
para el tipo	Marcos huecos aplicables y caja eléctrica sumergida
Procesamiento de paneles	Tratamiento superficial desnudo a prueba de fuego

• Introduction

SMQT®

El interruptor de botón de salida de control de acceso a puerta con material plástico ABS y funciona con el sistema de control de acceso.





EA-26A



EA-26B



EA-26C

Plastic Door release button


Fireproof ABS plastic panel

Passed 100000 times mechanical test

Suitable for access control system

Embedded bottom box is optional

2 years warranty, welcome OEM



Switch power supply



**Converter
(RS232 to RS485)**



**Door release
button EA-26**



EM Lock



**Standalone
controller**



PC

• *Packaging & shipping*

SMQT



• Office show

SMQT®



• Exhibition

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



.....

2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair

