


IP67 Impermeable Teclado de metal Control de acceso / Lector Wiegand para puerta simple con capacidad de 5000 usuarios



Parámetro principal del MQ-805

Nombre del producto:	IP67 Impermeable Teclado de metal Control de acceso / Lector Wiegand para puerta simple con capacidad de 5000 usuarios	
Modelo:	MQ-805C	MQ-805D
Frecuencia RFID:	IC (13.56Mhz)	ID (125Khz)
Distancia de lectura:	0 ~ 3 cm	
Capacidad de usuario:	5000	
Fuente de alimentación:	DC 12V	
Modo de trabajo:	Modo de control de acceso / modo de lector de tarjetas WG (ajustable)	
Corriente de trabajo:	≤200mA	
Corriente estática:	≤150mA	
Tiempo de puerta abierta:	0 ~ 99s (ajustable)	

Temperatura de trabajo:	-20 °C ~ 60 °C
Humedad de trabajo:	20% ~ 80%
Temperatura de almacenamiento:	-20 °C ~ 60 °C
Dimensión:	138x58x22 mm (error ± 3 mm)
Color:	Plata
Peso:	0.45kg


¿Qué feateurs MQ-805 tienen?

Size




The image displays four views of the Zebra MC9000 handheld device. The front view shows a black keypad with blue buttons and a circular navigation pad. The back view shows the internal components, including a battery, a SIM card slot, and a complex wiring harness with a black cable. The side view shows the slim profile of the device. The rear view shows the back of the device with a small camera lens.

Access control mode:



Card reader mode:



¿Qué tal otra opción?

