• Parameter

SMQT

Nombre del producto	Convertidor TCP / IP a RS485 / RS422
Modelo	EA-06
Dimensión	92L * 63W * 23H (mm)
Fuente de alimentación externa	DC4.5V ~ 5.5V
Protocolo serie	TCP / UDP / IP / ICMP, Ethernet, ARP
Interface de comunicación	Ethernet (10Base-T), RS232 / 485 con interruptor de terminal
Indicación de señal	Tres luces de señal TXD RXD POWER
Medio de transmision	Cable blindado de par trenzado
Velocidad de transmision	300bps ~ 115200bps
Aislamiento	3500VRMS
Color	gris
Uso	Transmisión de datos
Humedad relativa	5% ~ 95%
Entorno temprature	0 ℃ ~ 50 ℃

• Introduction

SMQT

El convertidor de serie a Ethernet es RS485 / RS422 a TCP / IP convertidor para el sistema de control de acceso a la puerta.

•Feature

SMQT

EA-06

Converter RS232/485 to TCP/IP

Dimension:96×63×23(mm)

Transmission speed:300bps-115200bps

Format:TCP/UDP/IP/ICMP/Etjernet/ARP

Interface:Ethernet(10Base-T),RS232/485

with 6 wiring terminals

Welcome OEM and 2 years quality warranty

•Installation

SMQT



•*Packaging & shipping*

• *Office show*

SMQT

• *Exhibition*

SMQT

2011 Brazil Fair
2012 Shenyang Fair
2013 Jinan Fair
2013 Shenzhen Fair
共赢
.....
2012 Shenyang Fair
2013 Shenyang Fair
2013 Shenzhen Fair
2015 Shenzhen Fair