

Nombre	Detector PIR inalámbrico
Modelo	EB-187
Dimensión:	107 × 59 × 39.5 (mm)
Tensión de funcionamiento:	3V CC (batería 2AA)
Corriente estática:	≤25uA
corriente de alarma:	≤15mA
La detección de la distancia:	12m
La detección de ángulo:	110 °
Frecuencia de transmisión:	315MHz / 433MHz (2262 chip de codificación) (opcional)
Distancia que transmite:	200m (en zona abierta)
Altura de la instalación:	aproximadamente 2,2 m
Modo de instalación:	montado en la pared
Material:	ABS vivienda a prueba de fuego

PRODUCT PICTURE



La detección de la alarma del sensor de movimiento PIR con 12V

usado en el jardín, casa, oficina, tienda de detector de movimiento.

•Dimension

SMQT




•Feature

SMQT

Adoptado 1.ASIC.
compensación de temperatura 2.Auto.
3.Send señal de alarma por radiofrecuencia.
4.Adjustable distancia de detección.
indicación de batería 5.low.
6.SMT diseño adoptado.



PRODUCT PROFILE




- | | |
|-------------------|----------------|
| ① Filter | ⑦ Power Switch |
| ② Alarm indicator | ⑧ Antenna |
| ③ Code Jumper | ⑨ LED Jumper |
| ④ Low battery LED | ⑩ IR Sensor |
| ⑤ Test button | ⑪ Delay Jumper |
| ⑥ Range jumper | ⑫ Battery |




PIR sensor



Detecting Area View



Planform



Side View

• *Packaging & shipping*

SMQT®



• Office show

SMQT®



• Exhibition

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



.....

2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair

