

LED backlight door release button

Stainless steel and aluminum panel

Stainless steel button with LED light

Blue/red/green led light color optional

100000~500000 times mechanical test

Suitable for access control system

SMQT®



• Parameter

SMQT®

spécification	
Modèle	EA-27A / B / C / D
prénom	Bouton de déverrouillage de porte à DEL
Dimension	86 * 50 * 20 (mm)
Tension de travail	12V ± 3VDC
Sortie contact	NO / NC / COM
Test mécanique	500000 fois test
Couleur claire	Rouge / Bleu / Vert (optionnel)
Matériau du coquillage	Panneau en aluminium
Convient pour	Système de contrôle d'accès
Poids net	0,05 kg

• Introduction

SMQT®

Le commutateur de bouton de sortie de porte est le bouton d'ouverture de porte pour l'accessoire de contrôle d'accès de porte.



• Feature

SMQT



EA-27A



EA-27B



EA-27C



EA-27D



THE ONE

Strong stability

PC rubber seal lock core,
resistance to heat shock,
500, 000 times mechanical test
qualified, suitable for all
Access control system



THE SECOND

Superior Design

Simple and beautiful appearance,
stainless steel wire drawing
panel.



THE THIRD

OEM

LED backlight's color red/blue
green optional, print logo or
other service

• Installation

SMQT®

Switch Power supply



Converter
(RS232 to RS485)



Door release
button EA-27



Standalone
controller



PC

• Office show

SMQT®



• Exhibition

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



.....

2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair

