Nom du produit:	Nouveau clavier autonome de conception, système de carte, clavier rfid		
Modèle:	EA-84	**Tension de travail:**	12VCC ± 10%
Courant de travail:	& lt; 100mA	**Capacité de l'utilisateur:**	1000
Type de carte:	IC 13.56MHz ou EM 125kHz	**Mode ouvert:**	carte, mot de passe
LED d'arrière-plan:	automatique	**Sortie de déverrouillage du relais:**	5 secondes
Tamper / Alarme Fonction:	fermé	**Mots de passe publics:**	non
Wiegand 26 Port:	Contribution	**Distance de lecture:**	1cm-15cm
Couleur:	Noir	**Température de fonctionnement:**	0 ℃ -60 ℃
Humidité relative:	20% ~ 90%		

Quelles sont les caractéristiques de notre contrôle d'accès de porte?

User Capacity: 1000

Background LED: automatic

Card Type: Mifare 1 13.56MHz or EM 125kHz

Reading Distance: 1cm-15cm

Open Mode: card, password

Relay Unlock Output: 5 seconds

TIRAGE EN GENRE

APPLICATION



HOME
OFFICE
FACTORY
Department
HOTEL
COANDI
RESTAURANT
HOTEL
SCHOOL

VITRINE

SALON DU BUREAU

CLIENT

EXPOSITION

CERTIFICAT

COMMENT COOPERER

Trade terms:	**EXW**
Payment terms:	**T/T, Western union, Paypal etc**
Delivery time:	**Normal order within 7 days, bulk order 10-15days**
Packing:	**Neutral paper box and paper carton**
Shipping:	**Express company or by sea, by air or appointed by buyer**