

Emergency button with key

Stainless steel panel with key

Waterproof, unduplicate key

100000 times mechanical test

Suitable for access control system

Concealing box is optional

SMQT



• Parameter

SMQT

| | |
|--------------------------|---|
| Dimensions | 88 * 88 * 20 (mm) |
| Structure standard | Panneaux en acier inoxydable, clé en acier inoxydable |
| Performances électriques | Durabilité maximale actuelle 3A36VDC |
| Noeud de sortie | NC / COM |
| Essai de durabilité | Cent mille fois vieillissement testé |
| Pour Type | Cadres creux et boîte électrique immergée |
| Type de sécurité | Eau de surface et clés anti-copie |
| Traitement des panneaux | Panneaux en acier inoxydable, brossé |

• Introduction

SMQT

Le bouton de déverrouillage de la porte de contrôle d'accès est le bouton de déverrouillage de porte d'urgence pour le bouton de sortie utilisé pour le système de contrôle d'accès.



• *Feature*

SMQT



*Stainless Emergency
Door Release Button
EA-25*

LED light indicator
Waterproof appearance and Durable
Anti-duplicated keys

Stainless steel panel, wire
drawing oil processing.



• *Installation*

SMQT®

Switch Power Supply



• *Packaging & shipping*

SMQT®



• Office show

SMQT®



• Exhibition

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



.....



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair