




spécification

Nom du produit:	Détecteur de fumée sans fil autonome
Taille:	Ø5.5" dia., 1.6" ht.
Courant statique:	Moins de 12µA
Courant d'alarme:	Moins de 15mA
Tension de fonctionnement:	DC 9V
Alarme audio:	85dB à 10 pieds
Batterie:	Batterie de secours 9V pendant au moins 1 an
Zone de protection:	6m de haut, 60 m²
Bouton de test:	Simule électroniquement l'état de la fumée, provoquant l'alarme de l'unité.
Réinitialisation d'alarme:	Automatique lorsque la fumée disparaît
Voyants LED:	LED rouge intermittente
Courant continu:	Alarme audio et rapidement
Alarme locale:	LED rouge clignotante



Quelles sont les caractéristiques de notre détecteur de fumée?



Suitable for home, office, factory, hotel, school, bank..etc.



TIRAGE EN GENRE



VITRINE



SALON DU BUREAU



CLIENT



EXPOSITION



CERTIFICAT



COMMENT COOPERER



Trade terms:	EXW
Payment terms:	T/T, Western union, Paypal etc
Delivery time:	Normal order within 7 days, bulk order 10-15days
Packing:	Neutral paper box and paper carton
Shipping:	Express company or by sea, by air or appointed by buyer