

Wired magnetic contact sensor

Fireproof ABS material shell

NO/NC model optional


Brown/white color optional

20±5(mm) gap distance

Suitable wooden door or window

14g weight

SMQT



Nom du produit	Capteur de porte filaire NO / NC avec contact magnétique pour fenêtre / porte en bois
Modèle	EB-132
Dimension	34 * 41 * 6,5 mm
Mode code	NO / NC (facultatif)
Écart	20 ± 5 (mm)
Tension max	≤100V DC
Max courant	≤500mA
Max note	≤10W
Couleur	Brun / blanc (facultatif)
Convient pour	porte ou fenêtre en bois
Matériel	Boîtier en ABS ignifuge
Température de fonctionnement	-10 °C ~ 50 °C
Poids net	14g

Quelles caractéristiques de notre capteur de porte?

PRODUCT FEATURE



EB-132

Dimension:34×41×6.5(mm)

NO/NC mode optional

20±5(mm) distance gap

MAX voltage≤100VDC,MAX current≤500mA

Fireproof ABS material shell

White/Brown color optional

Suitable for wooden door or window

14g weight

2 years quality warranty,welcoem OEM

Réveil en nature

PRODUCT PICTURE



VITRINE



BUREAU



CLIENT



EXPOSITION



CERTIFICAT



COMMENT COOPERER



Trade terms:	EXW
Payment terms:	T/T, Western union, Paypal etc
Delivery time:	Normal order within 7 days, bulk order 10-15days
Packing:	Neutral paper box and paper carton
Shipping:	Express company or by sea, by air or appointed by buyer