

Door Access Control Uninterruptible Switch Power Supply box with DC 12V 5A output



EA-39's main parameter

Parametro

Nome	12v 5A uninterruptible power supply for single door access control system
Modello	EA-39
Dimensione	228×228×83(mm)
Tensione di ingresso	AC110V/220V(optional)
Input frequency	50~60Hz
Output voltage	DC 12V
Output current	5A
Potenza di uscita	60W
Output voltage accuracy	1%
Output protection	Short-circuit and overload protection
Time relay	0~15 seconds adjustable
Adatto a	Single door access control or doorphone system
Materiale	Double face PC board Pure copper transformer Metal shell

Colore	Yellow-white Shell
Il peso	2.5kg
Environment temp	-30°C to +60°C
Garanzia	2 anni

Model: EA-39

Dimensions: 228×228×85

Input Voltage: 220VAC~240VAC; 50Hz

Output Voltage: 12VDC

Output Current: 5 A

Output Power: 60 W

Output Contact: Access control, Electric Lock, Release Button, Door Phone

Time Relay: 0~10sec.

Standard Design: Steel Materials, Painted,

Protect Safely: Short Circuit protection, Backup battery charging protection

Suitable For : Access control system.


Backup battery:12V 7Ah Accumulator battery is optional


Weight: 2.5kg

What features EA-39 have?

Appearance











Wiring diagram



How about other choice?



SMQT show



Team



Factory

CERTIFICATE OF CONFORMITY



