

## Plastic door release button

*Fireproof ABS panel*

*100000 times mechanical test*

*Suitable access control system*

*Bottom case is optional*

*3 appearance model optional*

**SMQT**



### • *Parameter*

**SMQT**

<b>specification</b>	
Nome del prodotto	pulsante di plastica della porta di uscita
Modello	EA-26A / B / C
dimensioni A	86 * 86 * 20 (mm)
dimensioni B	86 * 86 * 20 (mm)
dimensioni C	86 * 86 * 30 (mm)
Struttura standard	materiali ignifughi resina mista
Prestazioni elettriche	Corrente massima durata nel tempo 3A36VDC
prova di durata	Centomila volte invecchiamento testati
per Tipo	cornici vuote applicabili e quadro elettrico sommerso
Panel Processing	materiale ignifugo trattamento superficiale nuda

### • *Introduction*

**SMQT**

L'interruttore di pulsante di uscita di controllo porta di accesso con materiale plastico ABS e lavoro con il sistema di controllo accessi.





**EA-26A**



**EA-26B**



**EA-26C**

*Plastic Door release button*


*Fireproof ABS plastic panel*

*Passed 100000 times mechanical test*

*Suitable for access control system*

*Embedded bottom box is optional*

*2 years warranty, welcome OEM*



Switch power supply



Converter (RS232 to RS485)



Door release button EA-26



Standalone controller



PC

• *Packaging & shipping*

SMQT®



## • Office show

SMQT®



## • Exhibition

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



.....



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair