

Key-reset emergency button

fireproof ABS material shell, key-reset, suitable
for access control and alarm system.

SMQT®



• *Parameter*


SMQT®

Dimensione	54 * 54 * 32 (mm)
uscita a contatto	NO / NC
corrente di funzionamento	3A @ DC 36V
modalità di ripristino	RESET
modalità intallation	Montaggio a parete
applicazioni	Fuga porta, controllo degli accessi
materiale	ignifugo ABS
Peso netto	40g

• *Introduction*

SMQT®

PRODUCT PICTURE



L'interruttore di pulsante di emergenza in plastica a prova di fuoco

utilizzata con il pannello di allarme porta antipanico di emergenza.

• *Feature*

SMQT

PRODUCT FEATURE



Metal key-reset emergency button

Fireproof ABS material shell, net weight 40g

Suitable for access control and alarm system

Metal key-reset and wall-mounted

NO/NC contact output

2 years quality warranty and welcome OEM

• *Packaging & shipping*

SMQT



• Office show

SMQT®



• Exhibition

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair



.....