


NEW

PRODUCT THE ARRIVAL OF THE GOODS

Appearance of the picture is for reference only, the actual product may be different. The picture is for reference only, the actual product may be different. The picture is for reference only, the actual product may be different.



SMQT®

<https://eis.en.alibaba.com/>

search

11111111111111111111

specificazione	
Modello	EA-53C
Dimensione	226 × 44.5× 76 (mm)
Foro di installazione	19× 230 (mm)
Gamma di portata	85 ~ 100kg
Larghezza della porta	≤1150mm
Funzione controllo Ack	NO
Mas aperto angolo	180 °
Regolazione della velocità di chiusura	speed1: 180°-15°; SPEED2: 15°-0°
Temperatura applicabile	-20 °C -45 °C
applicabilità	Porta aperta aperta o destra aperta
Prova di durata passata	1000000cycles
uso	Sysetm di controllo dell'accesso
Peso	2.5kg

Quali caratteristiche del nostro EA-53C?



1.Back Check and Delay Action available.


2.High quality alloy door closer body, silver coating finished.

3.With standard foldable arm. Parallel arm channel,hold-open arm are optional

4.1,000,000 times tested without damage.5 years warranty

5.can be used on the wooden door, steel door, fire door and places where security is strictly required





PROCESSO DI INSTALLAZIONE



• Office Show

SMQT



• Customer

SMQT



• Exhibition

SMQT

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair



• Certificates

SMQT

