

## Tastiera di controllo accessi per porta singola con controllo dell'app Tuya impermeabile IP67 con comunicazione remota WIFI




### Parametro principale del MQ-380

Nome del prodotto:	Tastiera di controllo accessi per porta singola con controllo dell'app Tuya impermeabile IP67 con comunicazione remota WIFI	
Modello:	<b>MQ-380C</b>	<b>MQ-380D</b>
Frequenza RFID:	<b>Circuito integrato (13,56 Mhz)</b>	<b>Identificazione (125Khz)</b>
Distanza di lettura:	2~6 cm	
Capacità utente:	<b>2000</b>	
Alimentazione elettrica:	CC 12~24 V	
Applicazione:	App Tuya/App Casa Intelligente	
Modalità di lavoro:	<b>Modalità di controllo accessi/Modalità lettore di schede WG (regolabile)</b>	
Corrente statica:	≤30mA	
Orario di apertura della porta:	0~99s (regolabile)	
Temperatura di lavoro:	-40°C~60°C	
Umidità di lavoro:	10%~90%	
Temperatura di conservazione:	-40°C~60°C	
Dimensione:	<b>117x71x22mm (errore ± 3mm)</b>	
Materiale dell'alloggiamento:	computer	

Colore:	Piano nero e montatura in argento
Peso:	0,3 kg

### Quali caratteristiche ha il MQ-380?

## Size



## Appearance




# Waterproof




# Wire diagram

## Access control mode:




A: Use access control switch power supply




B: Use normal DC12V power supply

## Card reader mode:



Connect with access controller to working as a reader

# Package list



Che ne dici di un'altra scelta?



## SMQT show



Team



Factory



Certificate



2011 Brazil Fair



2012 shen yang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2017 Shenzhen Fair



2012 shen yang Fair



2013 shen yang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair

