



Nome del prodotto:	Nuova tastiera di design standalone, sistema di schede, tastiera rfid		
Modello:	EA-84	Tensione di lavoro:	12VDC $\pm$ 10%
Corrente di lavoro:	< 100mA	Capacità dell'utente:	1000
Tipo di carta:	IC 13,56 MHz o EM 125 kHz	Modalità aperta:	carta, password
LED di sfondo:	automatico	Uscita sblocco relè:	5 secondi
Funzione di manomissione / allarme:	chiuso	Password pubbliche:	no
Wiegand 26 Port:	Ingresso	Distanza di lettura:	1 centimetro-15 centimetri
Colore:	Nero	Temperatura di lavoro:	0 °C -60 °C
Umidità relativa:	20% ~ 90%		

Quali caratteristiche del nostro controllo di accesso alla porta?



User Capacity: 1000

Background LED: automatic

Card Type: Mifare 1 13.56MHz or EM 125kHz

Reading Distance: 1cm-15cm


Open Mode: card, password

Relay Unlock Output: 5 seconds

TIRO IN GENERE



APPLICAZIONE





HOME



OFFICE



FACTORY



Department



HOTEL



SCHOOL

VETRINA

SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SPETTACOLO DELL'UFFICIO



CLIENTE



ESPOSIZIONE



CERTIFICATO



COME COOPERAZIONE



Trade terms:	EXW
Payment terms:	T/T, Western union, Paypal etc
Delivery time:	Normal order within 7 days, bulk order 10-15days
Packing:	Neutral paper box and paper carton
Shipping:	Express company or by sea, by air or appointed by buyer